



FIBRE GLAST DEVELOPMENTS CORP.  
385 CARR DRIVE  
BROOKVILLE, OH 45309  
Rev 3/08

TELEPHONE: (937) 833-5200  
FAX: (937) 833-6555  
**FOR CHEMICAL EMERGENCY  
CALL (800) 424-9300 24 HRS.**

---

## SECTION 1 - PRODUCT IDENTIFICATION

---

PART #580 Yellow Sealant Tape

CHEMICAL NAME AND SYNONYMS: Sealant

TRADE NAME: GS-AT-200Y

---

## SECTION 2 - HAZARDOUS INGREDIENTS

---

**HAZARDOUS Components (Specific Chemical Identity: Common Name(s)):**  
OSHA PEL

ACGIH TLV

Other Limits Recommended

% (optional)

This product is considered non-hazardous, non-combustible and non-explosive.

---

## SECTION 3 - PHYSICAL DATA

---

**BOILING POINT:** Not applicable

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.38

**VAPOR PRESSURE (mm Hg.):** Not applicable

**MELTING POINT:** Not applicable

**VAPOR DENSITY (AIR=1):** Not applicable

**EVAPORATING RATE (Butyl  
Acetate=1):** Not applicable

**SOLUBILITY IN WATER:** Insoluble

**APPEARANCE AND ODOR:** Yellow, Pliable, Rubbery Sealant – No

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.38

**MELTING POINT:** Not applicable

**EVAPORATING RATE (Butyl Acetate=1):** Not applicable

---

#### SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

---

**FLASH POINT (Method Used):** 600°F (315°C)

**EXTINGUISHING MEDIA:** Carbon Dioxide, Dry Chemical, Foam, or Water.

**SPECIAL FIRE FIGHTING PROCEDURES:** Use water spray to cool fire exposed surfaces and isolate fuel supply. Recommend using a breathing apparatus and protective goggles.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** This product is non-explosive. A fire may produce carbon monoxide and irritation smoke.

**FLAMMABLE LIMITS:** N/A

---

#### SECTION 5 - REACTIVITY DATA

---

**STABILITY:** Stable

**CONDITIONS TO AVOID:** None

**INCOMPATIBILITY (Material to Avoid):** Oxidizers, Oxidizing Agents

**HAZARDOUS DECOMPOSITION OR BY PRODUCT:** Fire is accompanied by evolving of carbon monoxide, carbon dioxide and hydrocarbon gases

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** None

---

## SECTION 6 - HEALTH HAZARD DATA

---

### ROUTE(S) OF ENTRY

**INHALATION:** No

**SKIN:** No

**INGESTION:** No

**HEALTH HAZARDS (Acute and Chronic):** None

### CARCINOGENICITY

**NTP:** No

**IARC MONOGRAPHS:** No

**OSHA REGULATED:** No

**SIGNS AND SYMPTOMS OF EXPOSURE:** Not Applicable

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Not Applicable

**EMERGENCY AND FIRST AID PROCEDURES:** Not Applicable

---

## SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE

---

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Recover spilled material and place in appropriate marked container for reuse or disposal.

**WASTE DISPOSAL METHOD:** Waste material may be disposed of under conditions which meet federal, state, and local regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store at 72° F (22°C)

**OTHER PRECAUTIONS:** Do not take internally it is for industrial use only.

---

## SECTION 8 – CONTROL MEASURES

---

**RESPIRATORY PROTECTION (Specific Type):** None

**VENTILATION:** Not Normally Required

Local Exhaust: None

Mechanical (General): None

Special: None

Other: None

Eye Protection: None

**PROTECTIVE GLOVES:** Recommended when material is hot

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK/HYGRENIC PRACTICES:** None

---

## SECTION 9 - COMMENTS

---

The information accumulated herein is believed to be accurate but is not warranted to be, whether originating with Fibre Glast Developments or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.