



FIBRE GLAST DEVELOPMENTS CORP.
385 CARR DRIVE
BROOKVILLE, OH 45309
Rev 03/08

TELEPHONE: (937) 833-5200
FAX: (937) 833-6555
**FOR CHEMICAL EMERGENCY
CALL (800) 424-9300 24 HRS.**

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME: PART #2259 4MM Laminate Bulker

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Non-woven: Chemically bonded carded non-woven

Nature of Fibers: Polyester

Binder: Acrylic

Additives: Close cells made of polyacrylonitrile enclosing isobutene

SECTION 3 – HAZARDS IDENTIFICATION

No hazardous product under normal conditions.

Accidental thermal decomposition or melting state can present hazards.

SECTION 4 – FIRST AID MEASURES

UNDER NORMAL CONDITIONS:

INHALATION: No specific measure to be taken

SKIN CONTACT: No specific measure to be taken

EYE CONTACT: No specific measure to be taken

INGESTION: No specific measure to be taken

SECTION 5 – FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Water-CO₂-Foam-Powder

EXTINGUISHING MEDIA NOT TO BE USED: n/a

SPECIAL EXPOSURE HAZARD: For flammable and toxic fumes as well as skin contact with molten materials (see § 10)

SPECIAL PROTECTIVE CLOTHING FOR FIREFIGHTER: Protection against toxic fumes and molten materials

SECTION 6 – ACCIDENTIAL RELEASE MEASURES

Not Applicable

SECTION 7 – HANDLING AND STORAGE

Normal Requirements

SECTION 8 – EXPOSURE CONTROLS/PERSONNAL PROTECTION

No specific measures

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White Sheet

ODOR: Not Applicable

PH: Not Applicable

BOILING POINT/BOILING RANGE: Not Applicable

MELTING POINT/MELTING RANGE: Starting from 160° C

FLASH POINT: Not Applicable

FLAMMABILITY: Starting from 160° C

AUTO-FLAMMABILITY: Not Applicable
EXPLOSIVES PROPERTIES: Not Applicable
OXIDIZING PROPERTIES: Not Applicable
VAPOUR PRESSURE: Not Applicable
RELATIVE DENSITY: Not Applicable
SOLUBILITY:
 WATER SOLUBILITY: Not Applicable
 FAT SOLUBILITY: Not Applicable
 SOLVENT SOLUBILITY: Not Applicable
PARTITION COEFFICIENT: N-OCTANOL/WATER: Not Applicable

SECTION 10 – STABILITY AND REACTIVITY

Conditions to avoid

Under thermal decomposition flammable and toxic fumes can be generated.

Above 300° C may be released: toxic and flammable gases, carbon monoxide. The generation of cleavage and oxidation products is subject to fire conditions. Non burned residues and contaminated water after fire fighting should be disposed of in compliance with official regulations.

Molten material should not be allowed to be in contact with the skin to which it can adhere and can cause burns.

SECTION 11 – TOXICOLOGICAL INFORMATION

No toxic reaction known under normal conditions.

Note: Under decomposition conditions, toxic fumes and contaminated water, see § 10.

SECTION 12 – ECOLOGICAL INFORMATION

For transportation, storage, normal use, no toxicological effect known. Possible water pollution, if components are washed out.

Biodegradability is not to be considered; it is not expected in «foreseeable use».

Re: Directives EC 67/548, EC 76/464

SECTION 13 – DISPOSAL CONSIDERATIONS

As non hazardous solid waste, depending on local registration, non-wovens can be disposed of through:

- Incineration
- Landfill

SECTION 14 – TRANSPORT INFORMATION

No specific request

SECTION 15 – REGULATORY INFORMATION

Non-woven is not regulated

SECTION 16 – COMMENTS

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with **Fibre Glast Developments Corporation** or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.